

# Inferno MP10 SET UP SHEET

ver.2.00



Name of Driver		Date	Track / Event		Engine	Plug	Manifold	Muffler
Dai Hiroki		2023/07/23	KYOSHO Masters 2023		REDS	P3	REDS	REDS 2143
Spur Gear		Clutch Bell	Clutch Spring	Clutch Shoe	Tire	Tire Insert	Wheel	Body
<input type="checkbox"/> 0.8 <input checked="" type="checkbox"/> 1.0	<input type="checkbox"/> 0.8 <input checked="" type="checkbox"/> 1.0	<input checked="" type="checkbox"/> 0.90 <input type="checkbox"/> 1.00	Carbon x	Tire : HOT RACE HR	HOT RACE	IFH006KY-H	MP10 TKI3	KLOTS
47 T	13 T	<input checked="" type="checkbox"/> 0.95 <input type="checkbox"/> 1.10	Alu. IFW636 x 3	Compounds: HOT RACE				

## ● Diff. Gear Set-Up

	Front	Center	Rear
Diff. Gear	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD	<input type="checkbox"/> 10/20 <input checked="" type="checkbox"/> 12/18 <input type="checkbox"/> LSD	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD
Ring Gear	<input checked="" type="checkbox"/> 43/13 <input type="checkbox"/> 42/12	Diff. Size <input checked="" type="checkbox"/> Small <input type="checkbox"/> Large	<input checked="" type="checkbox"/> 43/13 <input type="checkbox"/> 42/12
	# 7000	# 10000	# 3000

## ● Shock Set-Up

	Front	Rear
Shock Type	P : w/Diaphragm A : Aeration	
Shock Piston	B : Black W : White T : Taper	
Shock Oil	# 750	# 650
Shock Spring	IFS005-8516	IFS006-10516


## ● Ride Height

Front	Rear
26 mm	28 mm

## ● Camber Angle

Front	Rear
-1 °	-2 °
mm	mm



## ● Rebound



Front	Rear
107 mm	123 mm

## ● Plate

Front	<input type="checkbox"/> Aluminum <input type="checkbox"/> Carbon <input checked="" type="checkbox"/> Plastic
Center	<input type="checkbox"/> Aluminum <input checked="" type="checkbox"/> Carbon
Radio	<input type="checkbox"/> Aluminum <input checked="" type="checkbox"/> Carbon
AMB	<input type="checkbox"/> Aluminum <input checked="" type="checkbox"/> Carbon <input type="checkbox"/> Plastic



## ● Wing

Flap	<input checked="" type="checkbox"/> None <input type="checkbox"/> 5mm <input type="checkbox"/> 8mm
Spacer	<input checked="" type="checkbox"/> None <input type="checkbox"/> 2.5mm <input type="checkbox"/> 5mm <input type="checkbox"/> 7.5mm <input type="checkbox"/> Other _____ mm
Holes	

## ● Front Sus. Arm

<input checked="" type="checkbox"/> SS <input type="checkbox"/> Soft <input type="checkbox"/> Hard
--

## ● Front Sus. Holder

<input type="checkbox"/> Aluminum <input checked="" type="checkbox"/> Steel
---

## ● Front Sus. Holder Bush


Rear Side	<input checked="" type="checkbox"/> <input type="checkbox"/>
-----------	--

## ● Front Wheel Hub

<input type="checkbox"/> Narrow <input type="checkbox"/> Std. <input checked="" type="checkbox"/> Wide
--

## ● Front Hub Carrier

<input type="checkbox"/> Plastic <input checked="" type="checkbox"/> Aluminum
<input type="checkbox"/> 13° <input type="checkbox"/> 16° <input type="checkbox"/> 17.5° <input type="checkbox"/> 19° <input checked="" type="checkbox"/> 22°



## ● Rear Sus. Holder Bush


Front Side	<input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
Rear Side	<input type="checkbox"/> (2) (2) <input checked="" type="checkbox"/> (2.5) (2.5) <input type="checkbox"/> (3) (3) <input type="checkbox"/> (3.5) (3.5) <input type="checkbox"/> (2) (2) <input type="checkbox"/> (2.5) (2.5) <input type="checkbox"/> (3) (3) <input type="checkbox"/> (3.5) (3.5)

## ● Rear Sus. Arm

<input checked="" type="checkbox"/> Soft <input type="checkbox"/> Hard	
Rear Sus. Bush	<input type="checkbox"/> Short <input type="checkbox"/> Medium <input checked="" type="checkbox"/> Long

## ● Sway Bar

Front	Rear
φ 2.4	φ 2.6
0 mm	0 mm



## ● Rear Wheel Hub

<input type="checkbox"/> Narrow <input type="checkbox"/> Std. <input checked="" type="checkbox"/> Wide
--

## ● Rear Hub Carrier

<input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Aluminum
--

## ● Wheelbase

Collar of Rear Hub Carrier
Front Side _____ 4 _____ mm
Rear Side _____ 1 _____ mm

## ● Hub Carrier Bush

<input type="checkbox"/> Plastic <input checked="" type="checkbox"/> Brass
---

## ● Shock Position of Sus. Arm

Front	<input type="checkbox"/> In <input checked="" type="checkbox"/> Out
Rear	<input type="checkbox"/> In <input checked="" type="checkbox"/> Out

## ● Center Drive Shaft

Front	<input checked="" type="checkbox"/> <input type="checkbox"/>
Rear	<input checked="" type="checkbox"/> <input type="checkbox"/>

## ● Universal Swing Shaft

Front	<input checked="" type="checkbox"/> Std. <input type="checkbox"/> Cap-U
Rear	<input checked="" type="checkbox"/> Std. <input type="checkbox"/> Cap-U

## ● Weight

Front	Rear
<input checked="" type="checkbox"/> None <input type="checkbox"/> IFW604-10 <input type="checkbox"/> IFW604-20 <input type="checkbox"/> other	<input type="checkbox"/> None <input type="checkbox"/> IFW605-10 <input checked="" type="checkbox"/> IFW605-20 <input type="checkbox"/> other

memo :