

Inferno MP10 SET UP SHEET

ver.2.00

KYOSHO
THE BEST FROM CONTROL MODELS

Name of Driver		Date	Track / Event		Engine	Plug	Manifold	Muffler
Kazuya Tanaka		2023/07/23	KYOSHO Masters 2023		REDS	REDS	REDS	REDS
		Condition: Dry		Temperature:				
Spur Gear	Clutch Bell	Clutch Spring	Clutch Shoe	Tire	Tire Insert	Wheel	Body	Fuel
<input type="checkbox"/> 0.8 <input checked="" type="checkbox"/> 1.0 47 T	<input type="checkbox"/> 0.8 <input checked="" type="checkbox"/> 1.0 13 T	<input checked="" type="checkbox"/> 0.90 <input type="checkbox"/> 1.00 <input type="checkbox"/> 0.95 <input type="checkbox"/> 1.10	Carbon x Alu. IFW636 x 3	Tire: RED DEVIL Compounds: JETKO	JETKO	JETKO	MP10 TKI3	KLOTS

● Diff. Gear Set-Up

	Front	Center	Rear
Diff. Gear	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD Ring Gear <input checked="" type="checkbox"/> 43/13 <input type="checkbox"/> 42/12 # 7000	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD Diff. Size <input checked="" type="checkbox"/> Small <input type="checkbox"/> Large # 5000	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD Ring Gear <input checked="" type="checkbox"/> 43/13 <input type="checkbox"/> 42/12 # 2000

● Shock Set-Up

	Front	Rear
Shock Type	P: w/Diaphragm A: Aeration Size 47 - type P	Size 55 - type P
Shock Piston	B: Black W: White T: Taper φ 1.3 x 5	φ 1.3 x 5
Shock Oil	# 600	# 500
Shock Spring	IFS001-715	IFS002-815

● Ride Height

Front	Rear
26 mm	30 mm


● Camber Angle

Front	Rear
-2 °	-2 °
mm	mm

Upper Rod



● Front Toe Angle



ST Tie Rod
mm


● Shock Stay

Front	<input checked="" type="checkbox"/> Short <input type="checkbox"/> Long <input type="checkbox"/> Alu. <input checked="" type="checkbox"/> Carbon
Rear	<input type="checkbox"/> Short <input checked="" type="checkbox"/> Long <input type="checkbox"/> Alu. <input checked="" type="checkbox"/> Carbon

● Shock Bush

Front	<input checked="" type="checkbox"/> Short <input type="checkbox"/> Std.
Rear	<input checked="" type="checkbox"/> Short <input type="checkbox"/> Std. <input type="checkbox"/> Long


● Steering Plate



● Servo Horn

Steering	Throttle
<input type="checkbox"/> Plastic <input type="checkbox"/> Alu. Long <input checked="" type="checkbox"/> Alu. Short	<input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Alu.


● Rebound





● Plate

Front	<input type="checkbox"/> Aluminum <input type="checkbox"/> Carbon <input checked="" type="checkbox"/> Plastic
Center	<input type="checkbox"/> Aluminum <input checked="" type="checkbox"/> Carbon
Radio	<input type="checkbox"/> Aluminum <input checked="" type="checkbox"/> Carbon
AMB	<input type="checkbox"/> Aluminum <input type="checkbox"/> Carbon <input checked="" type="checkbox"/> Plastic

<Front>



<Rear>



● Wing

Flap	<input checked="" type="checkbox"/> None <input type="checkbox"/> 5mm <input type="checkbox"/> 8mm
Spacer	<input type="checkbox"/> None <input checked="" type="checkbox"/> 2.5mm <input type="checkbox"/> 5mm <input type="checkbox"/> 7.5mm <input type="checkbox"/> Other _____ mm
Holes	

● Front Sus. Arm

<input type="checkbox"/> SS <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Hard
--

● Front Sus. Holder

<input checked="" type="checkbox"/> Aluminum <input type="checkbox"/> Steel

● Front Sus. Holder Bush


Rear Side	<input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
-----------	--

● Front Wheel Hub

<input type="checkbox"/> Narrow <input type="checkbox"/> Std. <input checked="" type="checkbox"/> Wide
--

● Front Hub Carrier

<input type="checkbox"/> Plastic <input checked="" type="checkbox"/> Aluminum
<input type="checkbox"/> 13° <input type="checkbox"/> 16° <input type="checkbox"/> 17.5° <input type="checkbox"/> 19° <input checked="" type="checkbox"/> 22°



● Rear Sus. Holder Bush


Front Side	<input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Rear Side	<input type="checkbox"/> (2) (2) <input type="checkbox"/> (2.5) (2.5) <input type="checkbox"/> (3) (3) <input checked="" type="checkbox"/> (3.5) (3.5) <input type="checkbox"/> (2) (2) <input type="checkbox"/> (2.5) (2.5) <input type="checkbox"/> (3) (3) <input type="checkbox"/> (3.5) (3.5)

● Rear Sus. Arm

<input checked="" type="checkbox"/> Soft <input type="checkbox"/> Hard	
Rear Sus. Bush	<input type="checkbox"/> Short <input type="checkbox"/> Medium <input type="checkbox"/> Long

● Sway Bar

Front	Rear
φ 2.4	φ 2.6
0 mm	0 mm



● Rear Wheel Hub


<input type="checkbox"/> Narrow <input checked="" type="checkbox"/> Std. <input type="checkbox"/> Wide
--

● Wheelbase

Collar of Rear Hub Carrier
Front Side _____ 4 _____ mm
Rear Side _____ 1 _____ mm

● Rear Hub Carrier

<input type="checkbox"/> Plastic <input checked="" type="checkbox"/> Aluminum
--



● Hub Carrier Bush

<input type="checkbox"/> Plastic <input checked="" type="checkbox"/> Brass

● Shock Position of Sus. Arm

Front	<input checked="" type="checkbox"/> In <input type="checkbox"/> Out
Rear	<input checked="" type="checkbox"/> In <input type="checkbox"/> Out

● Center Drive Shaft

Front	<input checked="" type="checkbox"/> <input type="checkbox"/>
Rear	<input checked="" type="checkbox"/> <input type="checkbox"/>

● Universal Swing Shaft

Front	<input checked="" type="checkbox"/> Std. <input type="checkbox"/> Cap-U
Rear	<input checked="" type="checkbox"/> Std. <input type="checkbox"/> Cap-U

● Weight

Front	Rear
<input checked="" type="checkbox"/> None <input type="checkbox"/> IFW604-10 <input type="checkbox"/> IFW604-20 <input type="checkbox"/> other	<input checked="" type="checkbox"/> None <input type="checkbox"/> IFW605-10 <input type="checkbox"/> IFW605-20 <input type="checkbox"/> other

memo :