

InfernoMP10 SET UP SHEET

ver.1.03



Name of Driver		Date		Track		Engine		Plug		Muffler	
DAIKI KAMEDA		2022.11.27		RC Land TAKI		O.S B2104		O.S P3		O.S T-2100	
		Condition:		Temperature:							
Spur Gear	Clutch Bell	Clutch Spring		Clutch Shoe	Tire		Tire Insert	Wheel	Body	Fuel	
46 T	<input type="checkbox"/> Std. <input checked="" type="checkbox"/> LW 13 T	<input type="checkbox"/> 0.90 <input checked="" type="checkbox"/> 1.00 <input type="checkbox"/> 0.95 <input type="checkbox"/> 1.10	Carbon <input checked="" type="checkbox"/> Aluminum <input checked="" type="checkbox"/> 3	Tire : <u>HOT RACE</u> Compounds: <u>SS</u>	HOT RACE		KYOSHO	TKI2	KLOTZ		

● Diff. Gear Set-Up

	Front	Center	Rear
Diff. Gear	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD Ring Gear <input type="checkbox"/> 43/13 <input checked="" type="checkbox"/> 42/12	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD Diff. Size <input type="checkbox"/> Small <input checked="" type="checkbox"/> Large	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD Ring Gear <input type="checkbox"/> 43/13 <input checked="" type="checkbox"/> 42/12
	# 10000	# 10000	# 7000

● Shock Set-Up

	Front	Rear
Shock Type	P : w/Diaphragm A : Aeration Size 50 - type A	Size 58 - type A
Shock Piston	B φ 1.5 x 5 B : Black W : White T : Taper	B φ 1.5 x 5
Shock Oil	# 700	# 600
Shock Spring	IFS005-8516	IFS006-10516

● Ride Height

Front	Rear
26 mm	27 mm

● Rebound

Front	Rear
108 mm	121 mm

● Camber Angle

Front	Rear
+ 2 °	+ 2 °


● Toe Angle

Front	Rear
+ °	<input checked="" type="checkbox"/> 2.5° <input type="checkbox"/> 3° <input type="checkbox"/> 3.5°

● Wheelbase

Collar of Rear Hub	Front Side 0 mm	Rear Side 5 mm
--------------------	-----------------	----------------

● Shock Mount Position



Sus. Arm	Front <input type="checkbox"/> In <input checked="" type="checkbox"/> Out	Rear <input type="checkbox"/> In <input checked="" type="checkbox"/> Out
----------	---	--


Shock Stay

Front	<input type="checkbox"/> Short <input checked="" type="checkbox"/> Long <input type="checkbox"/> Alu <input checked="" type="checkbox"/> Carbon
Rear	<input type="checkbox"/> Short <input checked="" type="checkbox"/> Long <input type="checkbox"/> Alu <input checked="" type="checkbox"/> Carbon

Shock Bush

Front	<input type="checkbox"/> Short <input checked="" type="checkbox"/> Std.
Rear	<input type="checkbox"/> Short <input checked="" type="checkbox"/> Std. <input type="checkbox"/> Long

● Rear Upper Arm Position



<input checked="" type="checkbox"/> Plastic	<input type="checkbox"/> Aluminum
---	-----------------------------------

Hub Carrier Bush	<input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Brass
------------------	---

● Rear Wheel Hub

<input type="checkbox"/> Narrow	<input checked="" type="checkbox"/> Std.	<input type="checkbox"/> Wide
---------------------------------	--	-------------------------------


● Front Sus. Arm

<input type="checkbox"/> SS	<input checked="" type="checkbox"/> Soft (Std.)	<input type="checkbox"/> Hard
-----------------------------	---	-------------------------------

● Front Sus. Bush

Rear Side	<input checked="" type="checkbox"/>
-----------	-------------------------------------

● Front Upper Arm Position




● Front Wheel Hub

<input type="checkbox"/> Narrow	<input checked="" type="checkbox"/> Std.	<input type="checkbox"/> Wide
---------------------------------	--	-------------------------------

● Front Hub Carrier

<input checked="" type="checkbox"/> Plastic	<input type="checkbox"/> Aluminum
<input type="checkbox"/> 13°	<input type="checkbox"/> 16° <input checked="" type="checkbox"/> 17.5° <input type="checkbox"/> 19° <input type="checkbox"/> 22°



● Lower Bush

<input type="checkbox"/> -1°	<input checked="" type="checkbox"/> 0°	<input type="checkbox"/> +1°
------------------------------	--	------------------------------

● Rear Sus. Bush

Front Side	<input type="checkbox"/>
Rear Side	<input checked="" type="checkbox"/>


● Rear Sus. Arm

<input checked="" type="checkbox"/> Soft (Std.)	<input type="checkbox"/> Hard
Rear Sus. Bush	<input type="checkbox"/> Short <input checked="" type="checkbox"/> Medium <input type="checkbox"/> Long

● Servo Horn

Steering	Throttle
<input type="checkbox"/> Plastic	<input type="checkbox"/> Plastic
<input type="checkbox"/> AL. Long	<input checked="" type="checkbox"/> AL. Short

● Steering Plate



● Sway Bar

Front	Rear
φ 2.4	φ 2.6
0 mm	0 mm

● Weight

Front	Rear
<input checked="" type="checkbox"/> None	<input checked="" type="checkbox"/> None
<input type="checkbox"/> IFW604-10	<input type="checkbox"/> IFW605-10
<input type="checkbox"/> IFW604-20	<input type="checkbox"/> IFW605-20
<input type="checkbox"/> other	<input type="checkbox"/> other

● Wing

<input checked="" type="checkbox"/> IF491(TK14)	Flap <input type="checkbox"/> None
	<input type="checkbox"/> 5mm
	<input type="checkbox"/> 8mm
	<input type="checkbox"/> Holes

memo: