Print Form

Set Up Sheet

Unofficial Interactive English Ver1.02Pak


						-					_
Name of Driver		DATE	-	Track	Engin	e	Plug		Fuel		
David Ronnefalk		Nov 15, 2009	K Mas	sters, Jpn	Orion Alpha	ABI .21	Orion 5		Kanai 30%		
Sp	Spur Clutch B		ell/Spring/Shoe			Tires		Inner		Muffler	
46	Т	13 _T	1.0	Carbon X Aluminum X 3		AKA, Gr	idlron, Soft		AKA	2	2058, Short

Shock-Set-Up

	FRONT	REAR
Shock Type	S	M
Shock Piston	φ 1.2 x 6 O φ 1.2 x 8 O φ 1.3 x 5 O φ 1.3 x 6 O φ 1.3 x 8 O φ 1.4 x 5 O	φ 1.2 x 6 O φ 1.2 x 8 O φ 1.3 x 5 O φ 1.3 x 6 O φ 1.3 x 8 O φ 1.4 x 5 O
Oil	# 400	# 350
Spring	Purple	Oliv
Spacer	8 _{mm}	5 _{mm}
Pressure Sponge		

Rebound

FRONT	REAR		
102 _{mm}	118 _{mm}		



Camber Angle

FRONT	REAR		
+ -2 ·	+ -3 ·		

- + Positive Camber
- Negative Camber

Front Skid Angle

		•		
Up	per	Front Side		Upper Arm Position
		Rear Side	0 0	· ·
Une	der	Front Side		
		— Front	Hub Carrier —	




Shock Mount Position



Sus Arm		
FRONT	REAR	
Outer	Outer	

Diff Gear Set-Up

	FRONT	CENTER	REAR
0:1	Normal • LSD	Normal • LSD	Normal • LSD
Oil	LSD w 7000	5000	3000



Rear Roll Center & Skid Angle





















Upper Arm Position

	REAR
Shock Stay	1 · 2 · 3 · 4 5 · 6 · 7 · 8
Wheel side	Inner



Rear Hub Position

	_
Upper	
Under	\times






Steering Plate

Anti Roll Bar

FR	ONT	RI	EAR
$\overline{\phi}$	2,5	φ	2,8
0	mm	0	mm



Wing Angle

Under⊠ Upper __-

Weight	



FRONT	REAR
Long	Long

< Rear>

mm